New Zealand Department of Agriculture.

THE NEW ZEALAND JOURNAL OF AGRICULTURE.

VOL. 42.
(JANUARY-JUNE, 1931.)

Published by direction of
The Hon. A. J. MURDOCH, Minister of Agriculture.

Editor: R. H. Hooper.

WELLINGTON.
BY AUTHORITY: W. A. G. SKINNER, GOVERNMENT PRINTER.
1931.

THE NEW ZEALAND

JOURNAL OF AGRICULTURE.

VOLUME 42.

(January–June, 1931.)

INDEX.

A.

Adamson, N. J.—
Mortality in stone-fruit trees in Hawke's Bay District, 116.
Powdery mildew of the apple and its control, 176.
Additions to the recorded plant-diseases of New Zealand, 305.
Agricultural shows, forthcoming, 74, 147.
Agricultural Statistics, International Year-book of, 149.
Ailments of stock, household remedies for, 124.
Alien flora of New Zealand, the, 392.
Allan, H. H.—
Spartina-grass and tidal mud-flat reclamation, 295.
Alien flora of New Zealand, the, 392.
Ammonium sulphate, effect of, on field germination of rape and turnips, 89.
Answers to inquiries, 72, 148, 216, 292, 365, 456.
Ant holes in lawn, 293.
Ante-partum paralysis, 221.
Apiary, the (monthly notes), 64, 135, 208, 284, 359, 442.
Apple production, some economic factors affecting, 423.
Arsenical solution for preserving sheep-skins, 217.
Arthritis of lambs, 220.
Aston, B. C.—
Stock-licks in dry seasons, 303.
Feeding of iron in bush sickness, 370.
Aston, B. C., and others. — Mineral content of pastures research: The Wairarapa district, 226.

B.

Barberry, seedless, cuttings from hedge of, 456.
Bark-blotch organism, pathogenicity of the, 341.
Barry, W. C.—
Household remedies for certain ailments of stock, 124.
Sarcoptic mange of pigs, 395.
Basic slag and its basis of sale, 325.
Bean wilt, 455.
Bell, J. E.—Manuring of early potatoes, 237.
Black disease of sheep, 223.
Black-leg in calves, 53.
Bleaching, muddy discoloration, and black-spot development in coloured cheese, 35.
Blowing in cattle and silage, 150.
Blue stem-borer of ragwort, 333.
Brief survey of sheep diseases in New Zealand, 219.
Brien, R. M.—
Pathogenicity of the bark-blotch organism, 341.
See also Neill and Brien, 433.
Broadcasting seed on grassland, 199.
Brown, F. C.—Poultry-keeping, 62, 132, 206, 282, 357, 440.
Bruce, J. A.—
Commercial fertilizers and their basis of sale, 325.
See also Grimmett and Bruce, 347.
Burning accident from sodium chlorate, 55.
Bush sickness, feeding of iron in, 370.
Butterfat, average production of, per cow in New Zealand, 90.

C.

Cabbage pest, *Pieris rapae*, 428.
Californian thistle and true perennial rye-grass, 422.
Californian thistle, suppression of, by lucerne, 364.
Calves, clean grazing for, 457.
Calves, death of, after weaning, 73.
Calves in trouble, 149.
Calves, treatment of, for lice, 292.
Campbell, J. A.—Fruit experimentation in New Zealand, 24.
Caseous lymph-adenitis, 223.
Cattle in New Zealand, classification of, 292.
Cheese, coloured, bleaching in, 35.
Cheese, investigation of bleaching and discoloration in, 275.
Cheese, mottled colour in, 244.
Cheese, oversalting of, 98.
Cheesemaking, starters in, 200.
Chickens, toe and tail picking among, 122.
Chicks, green-leg of, 50.
Chou moellier for sheep, 74.
Circling in sheep, 224.
Citrus-culture, 62, 131, 206, 282, 356, 439.
Clover, white, strains of, 75, 151.
Club-root, dissemination of, in dung of farm stock, 193.
Club-root in cruciferous crops: Investigation by Plant Research Station, 1.
Commercial fertilizers and their basis of sale, 325.
Competitions, farmers' pasture, 179.
Conference of New Zealand wool interests, 53.
Connell, R. P.—
The farm, 56, 126, 201, 276, 350, 434.
Some present aspects of the liming of grassland, 306.
Corrections, 218, 294, 433.
C.O.R. system in 1930, review of, 130.
Cottier, W.—The blue stem-borer of ragwort, 333.
Cow, average butterfat production per, in New Zealand, 90.
Cows, purebred dairy, testing of, in 1930, 165.
Cows' teats, growths in, 73.
Cross-fertilization of maize, 302.
Curing of lemons, the, 320.
Cunningham, G. H.—Additions to the recorded plant-diseases of New Zealand, 305.
Cutworm, a typical, 234.
Cyclamen weevil, 232.

D.

Dairy factories in New Zealand, 455.
Dairy industry data, 55.
Dairy industry, economic position of the, 377.
Dairy pastures, nitrogen dressing of, 99.
Danger to stock from poisonous plants following spraying with sodium chlorate, 54.
Davies, Wm., and Levy, E. Bruce.—Strain investigation of grasses and clovers: White clover, 75, 151.
Davey, M.—
Preservation of pome fruits with emulsified oil spray, 34.
The orchard, 61, 130, 205, 281, 354, 438.
Deem, J. W.—Burning accident from sodium chlorate, 55.
Dehorning cows, 148.
Dipping of goats, 73.
Dissemination of club-root in the dung of stock, 193.
Dodder in lucerne, 457.
Dry-rot-infected swede seed, a method to obtain, 433.
Dry scale from cream-cooler, 394.

E.

Earp, E. A.—The apiary, 64, 135, 208, 284, 359, 442.
Economic factors, some, affecting apple production, 423.
Economic position of the dairy industry, 377.
Effect of ammonium sulphate on field germination of rape and turnips, 89.
Effect of cleaning on hatching-quality of eggs, 257.
Eggs, effect of cleaning on hatching-quality of, 257.
Elphick, B. L.—
Medulla in wool, 91.
A simple wool-testing outfit, 338.
Ergot sclerotia, incidence of in New-Zealand-grown grass-seeds, 255.
Estimated yields of wheat, oats, and barley, 150.
Everett, P.—The curing of lemons, 320.
Eversion of the vagina, 222.

F.

Farm, the (monthly notes), 56, 126, 201, 276, 350, 434.
Farm machinery and engines, 71.
Farmers' pasture competitions: North Taranaki results, 1930, 179.
Fawcett, E. J.—
Rural land utilization in New Zealand, 259.
Economic position of the dairy industry, 377.
Some economic factors affecting apple production, 423.
Feeding experiments with minerals, 18.
Feeding lambs on blue lupins, 72.
Feeding of iron in bush sickness: Some recent work with sheep, 370.
Feeding-values, comparative, 225.

Feijoa for hedge in the North, 365.
Fertilizers, commercial, and their basis of sale, 325.
Fertilizer importations (quarterly), 150, 368.
Fertilizers, importation of, in 1930–31, 349.
Fields Division—
Effect of ammonium sulphate on field germination of rape and turnips, 89.
Wheat-manuring experiments in the South Island, season 1930–31, 311.
Wheat variety trials in the South Island, seasons 1928–29 to 1930–31, 398.
Certification of seed potatoes: Provisional certificates issued for season 1930–31, 449.
Fields Division and Plant Research Station—
Nitrogen dressing of dairy pastures, 99.
Swede variety trials in Canterbury, 242.
Fig-culture, 148.
Foal not sucking its mother, 148.
Food values and iodine-metabolism research, 245.
Foot-rot in cows, 456.
Foot-rot in sheep, 224.
Fowls, separated milk for, 72.
Foy, N. R.—The Official Seed-testing Station in 1930, 246.
Fruit experimentation in New Zealand: Co-operative plan inaugurated, 24.

G.

Gibbs, J. G.—
Club-root in cruciferous crops, 1.
Dissemination of club-root in the dung of farm stock, 193.
Gill, D. A.—Pulpy kidney disease of lambs, 300.
Goats, dipping of, 73.
Gorse hedges, trimming with tractor, 192.
Grasses and clovers, strain investigation of, 75, 151.
Grass-grub, consolidated ground free from, 123.
Grass-grub in pastures, control of, 456.
Grassland, broadcasting seed on, 199.
Grassland utilization, intensive, on Hawke's Bay farm, 39.
Grass-seeds, export and import of, in 1930, 257.
Greens and lawns, weeds in, 406.
Green colouration and rotten patches in fleece, 235.
Green-leg of chicks: Anti-sweating device for the brooder, 50.
Grimmett, R. E. R., and Bruce, J. A.—Importation of fertilizers in 1930–31, 347.

H.

Hadfield, J. W.
The Up-to-date potato and its variations, 421.
Header-harvesters, 389, 458.
Holdings of land in New Zealand, 218.
Home-made leather from cow-hide, 258.
Hopkirk, C. S. M.—A brief survey of sheep diseases in New Zealand.
Hop-vine roots, destroying, 365.
Horse troubled with itch, 217.
Horticulture (monthly notes), 65, 136, 209, 286, 360, 444.
Horticulture Division.—*Phthorimaea* moth attacking tomato plants, 175.
Household remedies for certain ailments of stock, 124.
Hudson, A. W.—Wheat variety trials in the South Island, seasons 1928–29 to 1930–31, 398.
Hudson, A. W., and Montgomery, A. Y.—Pasture top-dressing in Canterbury, 37.
Hudson, A. W. and Woodcock, J. W.—Nitrogen dressing of dairy pastures, 99.
Wheat-manuring experiments in the South Island, season 1930–31, 311.
Hyde, W. C.—Horticulture, 65, 136, 209, 286, 360, 444.

I.

Importation of fertilizers in 1930–31, 347.
Insect pests, notes on three, 231.
Inquiries, answers to, 72, 148, 216, 292, 365, 456.
Inspection of milking-machines, 26.
Intensive grassland utilization on Hawke's Bay farm, 391.
International Year-book of Agricultural Statistics, 1929–30, 149.
Inventions of agricultural interest, 74, 217, 364.
Investigation of bleaching and discoloration in cheese, 275.
Iodine feeding experiments, 18.
Iron in bush sickness, feeding of, 370.
Irrigated lands in New Zealand, statistics of, 71.
Itch, horse troubled with, 217.

J.

Jöhne's disease, 433.

K.

Kidson, E.—Weather records, 68, 140, 214, 289, 376, 447.
Kitto, H. A.—
Green-leg of chicks, 50.
Toe and tail picking among chickens, 122.
Sea-shell for poultry, 198.
Effect of cleaning on hatching-quality of eggs, 257.

L.

Lambing sickness, 222.
Lambs, pulpy kidney disease of, 300.
Land holdings in New Zealand, 218.
Land utilization in New Zealand, 259.
Lawns and greens, weeds in, 406.
Lawns, ridding, of worms, 115.
Leather, home-made, from cow-hide, 258.
Lemons, curing of, 320.
Levy, E. Bruce.—See Davies and Levy, 75, 151.
Levy, E. Bruce, and Madden, E. A.—Weeds in lawns and greens, 406.
Licks, mineral, for stock, 280.
Liming of grassland, some present aspects of the, 306.
Live-stock Division—
  Danger to stock from poisonous plants following spraying with sodium chlorate, 54.
  Mineral licks for stock, 280.
  Stock slaughtered, 1930, 31, 446.
Lowe, C.—Maturing cured tobacco-leaf, 213.
Lucerne, rhizoctonia in, 74.
Lupins, blue, feeding lambs on, 72.

M.

Machinery and engines, farm, 71.
Madden, E. A.—See Levy and Madden, 406.
Maize, cross-fertilization of, 302.
Malignant œdema, 223.
Mammitis infection, 216.
Mange of pigs, sarcoptic, 395.
Manuring of early potatoes: Experiments at Pukekohe in 1930, 237.
Mare with sore shoulders, 293.
Marton Experimental Area, season, 1929–30, 27.
Maturing cured tobacco-leaf, 213.
McCulloch, W. J.—Marton Experimental Area, season 1929–30, 27.
McIlwaine, J. E.—Sheep-dipping, 59.
Medulla in wool: New test for detection of hairiness in the fleece, 91.
Method to obtain dry-rot-infected swede seed, a, 433.
Mildew, powdery, of the apple, 176.
Milking-machines, inspection of, 26.
Mineral content of pastures research: The Wairarapa district, 226.
Mineral deficiency in sheep, 224.
Mineral feeding experiments: Iodine, lime, and salt-lick questions, 18.
Mineral licks for stock, 280.
Mole drains, formation of, 352.
Montgomery, A. Y.—Nitrogen top-dressing of wheat: Experiment in season 1929–30, 185.
Montgomery, A. Y.—See Hudson and Montgomery, 37.
Morgan, G. F. V.—Bleaching, muddy discoloration, and black-spot development in coloured cheese, 35.
Mortality in stone-fruit trees in Hawke's Bay District, 116.
Mottled colour in cheese: Investigations in South Auckland district, 244.
Muggeridge, J.—
  Notes on three insect pests, 231.
  Pieris rapae: A recently introduced cabbage pest, 428.

N.

Neill, J. C., and Brien, R. M.—A method to obtain dry-rot-infected swede seed, 433.
Nicotine spray from pipe tobacco, 216.
Nitrate of soda for the garden, 216.
Nitrogen dressing of dairy pastures: Experiments on production, seasons 1928–29 and 1929–30, 99.
Nitrogen top-dressing of wheat: Experiment with various forms of fertilizer at different times of application, season 1929–30, 185.
Notes on three insect pests, 231.

O.

Official seed-testing station: Record of operations for year 1930, 246.
Oil spray, emulsified, for preservation of pome fruits, 34.
Orchard, the (monthly notes), 61, 130, 205, 281, 354, 438.
Oversalting of cheese, 98.

P.

Parasitic gastritis among hoggets, 220.
Pastures, mineral content of, 226.
Pasture top-dressing in Canterbury: Experimental work by the Fields Division, 37.
Pasture top-dressing on farms, statistics of, 70.
Pathogenicity of the bark-blotch organism: Experimental work on lemon-trees, 341.
Paynter, L.—Citrus-culture, 62, 131, 206, 282, 356, 439.
Perennial rye-grass seed certification: Areas inspected and passed in field, season 1930–31, 142, 218.
Perennial rye-grass threshing-mill waste, 230.
Phosphate transport, 71.
Phthorimaea moth attacking tomato plants, 175.
Pieris rapae: A recently introduced cabbage pest, 428.
Pigs, sarcoptic mange of, 395.

Pink-eye in sheep, 224.
Plant-diseases of New Zealand, recorded, additions to the, 305.
Plant Research Station.—Sclerotium disease of plants, 164.
Pome fruits, preservation of, with emulsified oil spray, 34.
Potato, the Up-to-date, and its variations, 421.
Potatoes, early, manuring of, 237.
Poultry diseases declared, 457.
Poultry, restrictions on importation of, 368.
Poultry, sea-shell for, 198.
Poultry-keeping (monthly notes), 62, 132, 206, 282, 357, 440.
Powdery mildew of the apple and its control, 176.
Precautions necessary in handling of sodium chlorate, 200.
Preservation of pome fruits with emulsified oil spray, 34.
Pruning treatment for quince-trees, &c., 365.
Pukekohe, manuring of early potatoes at, 237.
Pulpy kidney among lambs, 219.
Pulpy kidney disease of lambs: Notes on investigational work in 1930, 300.

Q.

Quince-trees, pruning treatment for, 365.

R.

Ragwort, blue stem-borer of, 333.
Ragwort stem-boring insect, 178.
Rape, feeding of, to dairy cattle, 292.
Rape kale for sheep, 324.
Restrictions on importations of poultry, 368.
Rhizoctonia in lucerne, treatment for, 74.
Rural land utilization in New Zealand, 259.
Rye-grass seed, perennial, certification of, 142, 218.
Rye-grass threshing-mill waste, 230.
Rye-grass, true perennial, and Californian thistle, 422.

S.

Salt-lick for breeding-ewes, 456.
Sarcoptic mange of pigs, 395.
Scale, dry, from cream-cooler, 394.
Sclerotium disease of plants, 164.
Sea-shell for poultry: Fresh oyster compared with old cockle material, 198.
Seasonal notes, 56, 126, 201, 276, 350, 434.
Seedless barberry, cuttings from hedge of, 456.
Seed-testing notes, 54.
Seed-testing station operations in 1930, 246.
Separated milk for fowls, 72.
Sheep flocks in New Zealand, 299.
Sheep diseases in New Zealand, a brief survey of, 219.
Sheep-skins, arsenical solution for preserving, 217.
Shell material for poultry, 198.
Shows, forthcoming agricultural, 74, 147.
Shows, winter, 294, 268, 458.
Silage and blowing in cattle, 150.
Silage utilization, good example of, 275.
Simple wool-testing outfit, a, 338.
Simpson, B. W.—Mineral feeding experiments, 18.
Singleton, W. M.—Testing of purebred dairy cows: Review of the New Zealand C.O.R. system in 1930, 165.
Smith, J. M.—Farmers' pasture competitions: North Taranaki results, 1930, 179.
Sodium chlorate, burning accident from, 55.
Sodium chlorate, danger to stock from poisonous plants after spraying with, 54.
Sodium chlorate, precautions necessary in handling of, 200.
Sodium chlorate, storage of, 139.
Some dairy industry data, 55.
Some economic factors affecting apple production, 423.
Some present aspects of the liming of grassland, 306.
Spartina-grass and tidal mud-flat reclamation: Some recent observations in Europe, 295.
Spartina Townsendii for harbour mud-flats, 73.
Sprayed weeds eaten by sheep, 175.
Starters in cheesemaking, 200.
Statistics of irrigated lands in New Zealand, 71.
Statistics of pasture top-dressing on farms, season 1929–30, 70.
Stock, household remedies for certain ailments of, 124.
Stock-licks in dry seasons, 303.
Stone-fruit trees, mortality in, in Hawke's Bay District, 116.
Storage of sodium chlorate, 139.
Strain investigation of grasses and clovers: White clover, 75, 151.
Strawberry-clover for swampy margins, 310.
Swede variety trials in Canterbury: Yield-capacity and dry-matter content of Vilmorin's swede, 242.

T.

Testing of purebred dairy cows : Review of the New Zealand certificate-of-record system in 1930, 165.
Threshing returns of wheat and oats, 294, 458.
Tidal mud-flat reclamation by Spartina-grass, 295.
Tobacco-leaf, maturing cured, 213.
Toe and tail picking among chickens : Investigational work at Wallaceville, 122.
Tomato plants attacked by *Phthorimaea* moth, 175.
Top-dressing of pasture in Canterbury, 37.
Top-dressing on farms, statistics of, 70.
Trimming gorse hedges with tractor, 192.
True perennial rye-grass and Californian thistle, 422.
Tuberculosis of farm animals, 117.
Two occasional defects of wool : Green colouration and rotten patches in fleece, 235.

U.

Udy, W. H.—Mottled colour in cheese, 244.
Up-to-date potato and its variations, the, 421.

V.

Vilmorin's swede : Trials in Canterbury, 242.

W.

Wairarapa district, mineral content of pasture research in, 226.
Waters, R.—Two occasional defects of wool, 235.
Wax-moth pest, control of, 443.
Weather records, 68, 140, 214, 289, 376, 447.
Weeds in lawns and greens : Competition effects and control by chemical sprays, 406.
Weeds, sprayed, eaten by sheep, 175.
Weighton, C. — Tuberculosis of farm animals, 117.
Wheat and oats, threshing returns of, 294, 458.
Wheat-manuring experiments in the South Island, season 1930–31, 311.
Wheat, nitrogen top-dressing of, 185.
Wheat, oats, and barley, estimated yields of, 150.
Wheat Research Institute : Some salient features of its work, 384.
Wheat variety trials in the South Island, seasons 1928–29 to 1930–31, 398.
White clover, strain investigation of, 75, 151.
Willow-leaf saw-fly, 231.
Winter shows, forthcoming, 294, 268, 458.
Woodcock, J. W.—
Effect of ammonium sulphate on field germination of rape and turnips, 89.
See also Hudson and Woodcock, 99, 311.
Wool interests, New Zealand, conference of, 53.
Wool, medulla in, 91.
Wool-testing outfit, a simple, 338.
Wool, two occasional defects of, 235.
Worms, ridding lawns of, 115.